

Mod-0032.ST25.txt SEQUENCE LISTING

```
<110>
       Jarrell, et al., Kevin
<120>
       Modular Vector Systems
       2003320-0032
<130>
       09/910,354
<140>
       2001-07-20
<141>
<160>
      24
<170>
      PatentIn version 3.2
<210>
       \bar{2}3
<211>
<212>
       DNA
<213> PCR primer EU-1 for amplification of a vector fragment containing bacterical
origin of replication, Lac I gene, and pT7 promoter.
<400> 1
                                                                          23
cauggtatat ctccttctta aag
<210>
       \overline{2}2
<211>
<212>
       DNA
<213> PCR primer Eu-2 for amplification of a vector fragment containing bacterial
origin of replication, Lac I gene, and pT7 promoter.
                                                                          22
cucatgacca aaatccctta ac
<210>
       22
<211>
<212>
       DNA
<213> PCR primer EU-3 for amplification of a vector fragment containing Amp gene.
<400> 3
                                                                          22
gagattatca aaaaggatct tc
<210>
       20
<211>
<212>
       PCR primer EU-4 for amplification of a vector fragment containing Amp gene.
<213>
<400>
                                                                          20
uaactagcat aaccccttgg
<210>
       21
<211>
<212>
       DNA
       PCR primer 5' Lac Z for amplification of an insert fragment containing Lac Z
<213>
gene.
<400> 5
                                                                          21
augaccatga ttacgccaac g
```

Mod-0032.ST25.txt

```
<210>
       6
<211>
       22
<212>
       PCR primer 3' Lac Z for amplification of an insert fragment containing Lac Z
<213>
gene.
<400>
                                                                        22
uuacaatttc cattcgccat tc
<210>
       37
<211>
<212>
       DNA
       PCR primer 5' OST for amplifying an Ori fragment from pET 19 b.
<213>
<400> 7
                                                                        37
ctgctaagtg agcucgacag atcgctgaga taggtgc
<210>
       8
       36
<211>
<212>
<213>
       PCR primer 1N 3' Ori(s) for amplifying an Ori fragment from pET 19b.
<400>
                                                                        36
aagcttgcta agtagggcgt ttttccatag gctccg
<210>
<211>
       36
<212>
       DNA
      PCR primer 1NT5'KAN for amplifying a fragment containing the kanamycin
resistance gene from pCR2.1 topo.
<400>
                                                                        36
ctacctagca agctuctatc tggacaaggg aaaacg
<210>
       10
<211>
       41
<212>
       DNA
<213> PCR primer T73' KAN for amplifying a fragment containing the kanamycin
resistance gene from pCR2.1 topo.
                                                                        41
ccctatagtg agtcgtatta aggcgaaaac tctcaaggat c
<210>
       11
<211>
       42
<212>
       DNA
<213>
       PCR primer tcs1 for amplifying a fragment containing the luciferase gene from
pG1 II basic.
ttaatacgac tcactatagg gatggaagac gccaaaaaca ta
                                                                        42
<210>
       12
<211>
       36
<212>
       DNA
      PCR primer tc58 for amplifying a fragment containing the luciferase gene
<213>
from pG1 II basic.
```

Page 2

Mod-0032.ST25.txt

```
<400> 12
                                                                         36
gagctcactt agcagttaca atttggactt tccgcc
<210>
       13
<211>
       36
<212>
       DNA
       PCR primer 1NT 5'KAN for amplifying a fragment containing the kanamycin
<213>
resistance gene from pCR 2.1 topo.
<400> 13
                                                                         36
ctacctagca agctuctatc tggacaaggg aaaacg
<210>
       14
       33
<211>
<212>
       DNA
<213> PCR primer 1NT 3'KAN for amplifying a fragment containing the kanamycin
resistance gene from pCR 2.1 topo.
<400> 14
gagctcactt agcaaggcga aaactctcaa gga
                                                                         33
       15
<210>
       37
<211>
<212>
       DNA
<213>
       PCR primer 1NT5' Ori for amplifying a fragment containing the Ori from pET
19b.
<400>
       15
                                                                         37
ttgctaagtg agcucgacag atcgctgaga taggtgc
<210>
       16
<211>
       36
<212>
       DNA
<213>
       PCR primer 1N3'Ori(s) for amplifying a fragment containing the Ori from pET
19b
<400>
                                                                         36
aagcttgcta agtagggcgt ttttccatag gctccg
<210>
       17
       37
<211>
<212>
       DNA
<213>
       PCR primer 3nt 5'OST for amplifying an Ori fragment.
                                                                        37
ctgctaagtg agcucgacag atcgctgaga taggtgc
<210>
       18
<211>
       36
<212>
       DNA
<213>
       PCR primer 3nt 5'OST for amplfiying an Ori fragment.
<400>
aagcttgcta gguaggctac gtcttgctgg cgttcg
                                                                        36
```

Mod-0032.ST25.txt

<210> 19 <211> 36 <212> DN/		
	R primer 3nt 5'KHT for amplifiying a KAN fragment.	
<400> 19 ctacctage	a agcuuctatc tggacaaggg aaaacg	36
<210> 20 <211> 35 <212> DN/ <213> PCI		
<400> 20 gagctcact) t agcagggcga aaactctcaa ggatc	35
<210> 21 <211> 37 <212> DN/ <213> PCI		
<400> 21 ttgctaagt	g agctcgacag atcgctgaga taggtgc	37
<210> 22 <211> 36 <212> DNA <213> PCF		
<400> 22 aagcttgcta	a ggtagggcgt ttttccatag gctccg	36
<210> 23 <211> 36 <212> DNA <213> PCF		
<400> 23 ctacctage	a agctuctatc tggacaaggg aaaacg	36
<210> 24 <211> 33 <212> DNA <213> PCF		
<400> 24 gagctcact	t agcaaggcga aaactctcaa gga	33